

CESAB Electric Counterbalanced Trucks

The Cesab B Range



Cesab B200II

24-VOLT 3-WHEEL TRUCK



Compact design ideal in space-restricted areas

1.0 – 1.5 TONNES LOAD CAPACITIES
TRAVEL SPEED UP TO 12.5 KM/H
BATTERY CAPACITY UP TO 875 AH
P. 2-5

Cesab B3 B4

48-VOLT 3 & 4-WHEEL TRUCK



Versatile all-round trucks for light to more intense use

1.5 – 2.0 TONNES LOAD CAPACITIES
TRAVEL SPEED UP TO 20 KM/H
BATTERY CAPACITY UP TO 750 AH
P. 6-13

Cesab B3 B4 Lithium-ion

48-VOLT 3 & 4-WHEEL TRUCK



Trucks with integrated li-ion battery offering class-leading ergonomics for light to intense operations

1.6 – 2.0 TONNES LOAD CAPACITIES
TRAVEL SPEED UP TO 20 KM/H
BATTERY CAPACITY UP TO 420 AH
P. 14-17

Cesab B600II

80-VOLT 4-WHEEL TRUCK



Robust and durable design for the toughest environments, both indoors and outdoors

2.0 – 3.5 TONNES LOAD CAPACITIES
TRAVEL SPEED UP TO 20 KM/H
BATTERY CAPACITY UP TO 775 AH
P. 18-21

Cesab B605

80-VOLT 4-WHEEL TRUCK



A tough design to handle heavy loads or multiple pallets safely and quickly

4.0 – 5.0 TONNES LOAD CAPACITIES
TRAVEL SPEED UP TO 20 KM/H
BATTERY CAPACITY UP TO 775 AH
P. 22-25

Cesab B800II

HIGH-CAPACITY 80-VOLT 4-WHEEL TRUCK



Class-leading strong, high-performance trucks – perfect for heavy-duty applications

6.0 – 8.0 TONNES LOAD CAPACITIES
TRAVEL SPEED UP TO 20 KM/H
BATTERY CAPACITY UP TO 1240 AH
P. 26-29



CESAB

B200II

The B200II models are compact 3-wheel trucks designed for simple, straightforward applications. These trucks are manoeuvrable in the tightest areas and ideal for narrow aisle stacking. Compact yet versatile, these driver-friendly trucks are at home in factories, warehouses and shops – where their size and flexibility make them ideally suited to a wide variety of material handling applications.

SPECIFICATIONS

Load capacity: 1.0, 1.25, 1.5 t @ 500 mm load centre

Maximum lift height: 6.5 m

Maximum travel speed: 12.5 km/h

Maximum battery capacity: 875 Ah

Options available: **imd**  

isd
intelligent stability design





Excellent visibility through the mast with low dashboard including built-in display with essential driver information and functions.



Compact 3-wheel truck, easy-to-drive in confined areas and stack in narrow aisles.



Despite truck's compactness, operator enjoys a comfortable driver compartment, with sufficient legroom and easy access to controls for efficient operations.



Available with intelligent energy packs based on Cesab own energy -efficient Lithium-ion battery solutions and chargers.

● standard ◦ option

Load handling

	Safety	Robustness	Performance	Operability	B210II	B213II	B215II
Wide Visible Mast (V)				●	●	●	●
Full-free (twin cylinder) 2-stage mast (FW) - IMD				◦	◦	◦	◦
Full-free (twin cylinder) 3-stage mast (FSW) - IMD				◦	◦	◦	◦
Full-free (central cylinder) 2-stage mast (FV)				◦	◦	◦	◦
Full-free (central cylinder) 3-stage mast (FSV)				◦	◦	◦	◦
Fully-oil-charged lift cylinder		●			◦	◦	◦
Shockless landing lift			●		●	●	●
Integrated sideshift			●		◦	◦	◦

Lights and indicators

LED headlights	●	●		◦	◦	◦	
LED front combination lights				◦	◦	◦	
LED rear combination lights				◦	◦	◦	
LED rear/double rear working light				◦	◦	◦	
Blue LED (front/rear) warning light				◦	◦	◦	
Flashing beacon lamp				◦	◦	◦	
Back-up buzzer				◦	◦	◦	

Body

Low- large step (both sides) + large hand grip	●	●	●	●	●	●	●
Full hydraulic power steering incl. Steering synchroniser				●	●	●	●
Digital multifunction display (wheel indicator)	●			●	●	●	●
Adjustable steering column				●	●	●	●
Rear view mirror (right and left side)	●			◦	◦	◦	
Panoramic rear view mirror				◦	◦	◦	
Fabric seat (Grammer MSG20)				◦	◦	◦	
PVC seat (Grammer MSG20)				●	●	●	●
Fully adjustable ORS seat	●			◦	◦	◦	
Fully adjustable fabric ORS seat	●	●		◦	◦	◦	
Left hand shift lever				◦	◦	◦	
Car pedal layout				●	●	●	●
D2 pedal				◦	◦	◦	

Driver side levers with direction switch				●	●	●	
Seat mounted hydraulic minilevers inc. Fork levelling switch				◦	◦	◦	
Seat mounted multifunction levers inc. Fork levelling switch				◦	◦	◦	

● standard ◦ option

Body

Plastic top panel	●			◦	◦	◦	
Front windshield and roof				◦	◦	◦	
Cabin w/o doors				◦	◦	◦	
Canvas cabin				◦	◦	◦	
Mast tilt indicator				●	●	●	
Max speed and acceleration reduction with lifted load				◦	◦	◦	
Pin code entry system			●	◦	◦	◦	
Shock sensor	●	●		◦	◦	◦	
A4 size binder				◦	◦	◦	
12V power supply (cigar lighter adapter)				◦	◦	◦	

Safety features

Cesab ISD (Intelligent Stability Design)	●	●	●	●	●	●	●
Operator Presence Sensing System (OPS)				●	●	●	●
Emergency button				●	●	●	●
Low speed setting (turtle)	●			●	●	●	●

Tyres

Pneumatic shaped cushion tyres			●	●	●	●	●
Non-marking pneumatic shaped cushion tyres			◦	◦	◦	◦	◦

Maintenance features

Rugged exterior body and easy access for maintenance	●			●	●	●	
Maintenance hour meter				●	●	●	

Battery management features

Battery lift-out			●	●	●	●	●
------------------	--	--	---	---	---	---	---

Special applications

Coldstore specification (-25°C)		●	●	◦	◦	◦	
Low overhead guard (1980 mm)			●	◦	◦	◦	

Compact and easy-to-drive

The Cesab B200II electric counterbalanced truck is extremely compact 3-wheel chassis machine, designed for simple, straightforward applications. It is easy to drive in confined spaces and narrow aisles.

Driver comfort

Despite the truck's compactness, the operator can enjoy a comfortable driving position thanks to the redesigned low dashboard, which not only frees up forward visibility but also includes essential driver information for precise operation.

Intelligent energy packs

Cesab B200II electric trucks are available with different intelligent energy packs to fit every customer's application requirements. Based on Cesab's own energy-efficient lithium-ion battery solutions, allowing costs savings and CO2 emissions reduction.

ISD - Intelligent Stability Design

All B200II electric trucks are standard equipped with Cesab's unique Intelligent Stability Design (ISD). It ensures excellent forklift stability by protecting the operator and load when driving, turning and lifting. ISD provides advanced technology increasing safety and improving productivity.

IMD - Intelligent Mast Design

All B200II electric trucks are available with Cesab's unique Intelligent Mast Design technology, which provides an industry leading level of visibility through the use of two off-set free lift cylinders. Further all piping, hoses and cables are integrated within the uprights.



CESAB

B3 - 3 WHEELS

B3

Manoeuvrability is key to the design of the B3 3-wheel electric counterbalanced truck. It offers exceptional agility and a narrow aisle width, ensuring smooth operation. Whether navigating narrow pallet racking indoors or handling tasks in the yard or loading bay, the B3 offers seamless versatility while offering drivers maximum comfort. The Cesab B3 standard range is available with conventional lead-acid battery (LAB) or lithium-ion battery (LIB) allowing for energy-efficient operations.

SPECIFICATIONS

Load capacity: 1.5, 1.6, 1.8, 2.0 t @ 500 mm load centre

Maximum lift height: 7.5 m

Maximum travel speed: 16 km/h

Choice of energy solution: Lead-acid (up to 750Ah), Lithium-ion (up to 630Ah)

Options available: *imd*  

isd
intelligent stability design





Different pedal layouts are available to fit drivers' preferences. Double accelerator pedals allow the operator to change driving direction with the feet.



Increasing driver comfort with the new tiltable and telescopic steering column, which enhance the space for the operator.



The conventional model can be equipped with lithium-ion battery. An easy access to battery plug on lateral door allows for easy, quick and safe opportunity charging.



LED front combination lights improve safety in the workplace and allow to work efficiently in unlit areas and/or at night.

● standard ◦ option

Load handling

	Safety	Robustness	Performance	Operability	B3-15	B3-16	B3-16L	B3-18	B3-18L	B3-20
Wide Visible Mast (V)	●				●	●	●	●	●	●
Full-free (twin cylinder) 2-stage mast (FW) - IMD				◦	◦	◦	◦	◦	◦	◦
Full-free (twin cylinder) 3-stage mast (FSW) - IMD				◦	◦	◦	◦	◦	◦	◦
Full-free (central cylinder) 2-stage mast (FV)				◦	◦	◦	◦	◦	◦	◦
Full-free (central cylinder) 3-stage mast (FSV)				◦	◦	◦	◦	◦	◦	◦
Fully oil-charged lift cylinder		●		◦	◦	◦	◦	◦	◦	◦
Shockless landing lift		●		●	●	●	●	●	●	●
Hydraulic cushioned forks				◦	◦	◦	◦	◦	◦	◦
Hydraulic accumulator (full charge)			●	◦	◦	◦	◦	◦	◦	◦
Integrated sideshift			●	◦	◦	◦	◦	◦	◦	◦
Fork positioner			●	◦	◦	◦	◦	◦	◦	◦
Quick couplings			●	◦	◦	◦	◦	◦	◦	◦

Lights and indicators

LED front combination lights	●	●		◦	◦	◦	◦	◦	◦	◦
LED rear combination lights				◦	◦	◦	◦	◦	◦	◦
LED headlights				◦	◦	◦	◦	◦	◦	◦
LED rear/double working light				◦	◦	◦	◦	◦	◦	◦
Blue LED rear warning light				◦	◦	◦	◦	◦	◦	◦
Yellow beacon (Flashing, Rotary)				◦	◦	◦	◦	◦	◦	◦
Back-up buzzer				◦	◦	◦	◦	◦	◦	◦
Horn in armrest				●	●	●	●	●	●	●

Body

Low and large step on left side + large hand grip	●	●		◦	◦	◦	◦	◦	◦	◦
Electric Power steering inc. Steering synchroniser			●	◦	◦	◦	◦	◦	◦	◦
Digital multifunction display with wheel indicator				●	●	●	●	●	●	●
Multifunction touchscreen display				◦	◦	◦	◦	◦	◦	◦
Mast tilt indicator				◦	◦	◦	◦	◦	◦	◦
Load weight indicator				●	●	●	●	●	●	●
Adjustable tilt steering column			●	●	●	●	●	●	●	●
Wet disk brakes			●	●	●	●	●	●	●	●
Rear view mirror, left and right side			◦	◦	◦	◦	◦	◦	◦	◦
Flat/Panoramic internal rear view mirror			◦	◦	◦	◦	◦	◦	◦	◦
Seat mounted hydraulic minilevers inc. Fork levelling switch			●	●	●	●	●	●	●	●
Seat mounted Multifunction Lever inc. Fork levelling switch				◦	◦	◦	◦	◦	◦	◦
Multifunction Joystick				◦	◦	◦	◦	◦	◦	◦
Car pedal layout with wide brake pedal			●	●	●	●	●	●	●	●
D2 pedal			●	●	●	●	●	●	●	●
Adjustable telescopic steering column			●	●	●	●	●	●	●	●
Full floating driver's compartment		●		●	●	●	●	●	●	●

● standard ◦ option

Body

Battery door opening sensor	●			◦	◦	◦	◦	◦	◦	◦
Double accel pedal			●	◦	◦	◦	◦	◦	◦	◦
ORS seat (Operator Restrain System)			●	●	●	●	●	●	●	●
Fully adjustable fabric ORS seat				◦	◦	◦	◦	◦	◦	◦
Shock sensor				◦	◦	◦	◦	◦	◦	◦
Height selector			●	◦	◦	◦	◦	◦	◦	◦
Pin code entry system				◦	◦	◦	◦	◦	◦	◦
Automatic Parking Brake			●	●	●	●	●	●	●	●
Heater				◦	◦	◦	◦	◦	◦	◦
Tilt cylinder boots			●	◦	◦	◦	◦	◦	◦	◦
Steel cabin				◦	◦	◦	◦	◦	◦	◦
Cabin without doors				◦	◦	◦	◦	◦	◦	◦
Canvas cabin				◦	◦	◦	◦	◦	◦	◦
Front windshield with wiper & roof				◦	◦	◦	◦	◦	◦	◦
Body guard				◦	◦	◦	◦	◦	◦	◦
Rear assist grip with horn button				◦	◦	◦	◦	◦	◦	◦

Safety features

Cesab ISD (Intelligent Stability Design)	●	●	●	◦	◦	◦	◦	◦	◦	◦
Operator Presence Sensing System (OPS)				●	●	●	●	●	●	●
Max speed and acceleration reduction with lifted load				◦	◦	◦	◦	◦	◦	◦
Emergency stop button in armrest				●	●	●	●	●	●	●

Maintenance & management features

Rugged exterior body and easy access for maintenance	●			◦	◦	◦	◦	◦	◦	◦
--	---	--	--	---	---	---	---	---	---	---

Battery management features

Lateral battery extraction with open bottom chassis			●	◦	◦	◦	◦	◦	◦	◦
---	--	--	---	---	---	---	---	---	---	---

Special applications

Cold storage model (TYPE 30S)		●	●	◦	◦	◦	◦	◦	◦	◦
Rustproof model		●	●	◦	◦	◦	◦	◦	◦	◦
Fisherman model			●	◦	◦	◦	◦	◦	◦	◦
Drive in rack overhead guard			●	◦	◦	◦	◦	◦	◦	◦
High overhead guard				◦	◦	◦	◦	◦	◦	◦
Low overhead guard				◦	◦	◦	◦	◦	◦	◦

Unparalleled performance

The StaminaTune from Cesab enables energy consumption reduction and enhanced performance thanks to the combination of IPM (Interior Permanent Magnet) synchronous motor for traction and our advanced controllers. Additionally, the optional high-performance motor for lifting allows for extra productivity and extra energy efficiency.

Driver comfort

Operator comfort is key to maximising productivity. The Cesab B3 features a fully floating driver compartment that reduces vibrations. Operators can enjoy a comfortable driving position with extra leg and foot space, a slim steering wheel, and an optional intuitive touchscreen that provides important information at a glance. Additionally, the design offers open visibility through the roof and mast.

Energy efficiency

Cesab B3 electric trucks offer various energy packs (Lead-acid, Lithium-ion, and Fuel cell) to suit different application needs. Cesab's lithium-ion batteries provide exceptional battery life and fast opportunity charging, eliminating the need for battery changes in multi-shift operations. The high-performance version is the most energy-efficient, reducing energy consumption by up to 18% (versus previous model).

ISD - Intelligent Stability Design

All B3 electric trucks are standard equipped with Cesab's unique Intelligent Stability Design (ISD). It ensures excellent forklift stability by protecting the operator and load when driving, turning and lifting. ISD provides advanced technology increasing safety and improving productivity.

IMD - Intelligent Mast Design

All B3 electric trucks are available with Cesab's unique Intelligent Mast Design technology, which provides an industry leading level of visibility through the use of two off-set free lift cylinders. Further all piping, hoses and cables are integrated within the uprights.



CESAB

B4 - 4 WHEELS

B4

Stability and versatility are key to the design of the B4 4-wheel electric counterbalanced truck. It delivers high performance with quick acceleration and lift/lower speeds, ideal on uneven floors, both indoors and outdoors. The truck provides drivers with advanced levels of comfort, a choice of energy-efficient power solutions (conventional lead-acid battery (LAB) or lithium-ion battery (LIB)), for low consumption and maximum productivity.

SPECIFICATIONS

Load capacity: 1.6, 1.8, 2.0 t @ 500 mm load centre

Maximum lift height: 7.5 m

Maximum travel speed: 20 km/h

Choice of energy solution: Lead-acid (up to 750Ah), Lithium-ion (up to 630Ah)

Options available: *imd*  

isd
intelligent stability design






An enclosed cabin (option) offers comfort while working in any type of weather or lower temperatures.



Display & lever options have been designed with the operator in mind for optimal comfort and productivity. The colour touchscreen display is both intuitive and interactive showing essential parameters and controls.



Clear view on fork tips through all masts, transparent glass roof (optional) enables safe and efficient handling operations while increasing the driver's comfort and productivity.



The standard B4 model equipped with lead acid battery has an open chassis design allowing for easy and quick lateral battery exchange/charging.

● standard ◦ option

Load handling

	Safety	Robustness	Performance	Operability	B4-16	B4-16L	B4-18L	B4-20	B4-20L
Wide Visible Mast (V)					●	●	●	●	●
Full-free (twin cylinder) 2-stage mast (FW) - IMD					◦	◦	◦	◦	◦
Full-free (twin cylinder) 3-stage mast (FSW) - IMD					◦	◦	◦	◦	◦
Full-free (central cylinder) 2-stage mast (FV)					◦	◦	◦	◦	◦
Full-free (central cylinder) 3-stage mast (FSV)					◦	◦	◦	◦	◦
Fully oil-charged lift cylinder					◦	◦	◦	◦	◦
Shockless landing lift					●	●	●	●	●
Hydraulic cushioned forks					◦	◦	◦	◦	◦
Hydraulic accumulator (full charge)					◦	◦	◦	◦	◦
Integrated sideshift					◦	◦	◦	◦	◦
Fork positioner					◦	◦	◦	◦	◦
Quick couplings					◦	◦	◦	◦	◦

Lights and indicators

LED front combination lights					◦	◦	◦	◦	◦
LED rear combination lights					◦	◦	◦	◦	◦
LED headlights					◦	◦	◦	◦	◦
LED rear/double working light					◦	◦	◦	◦	◦
Blue LED rear warning light					◦	◦	◦	◦	◦
Yellow beacon (Flashing, Rotary)					◦	◦	◦	◦	◦
Back-up buzzer					◦	◦	◦	◦	◦
Horn in armrest					●	●	●	●	●

Body

Low and large step on left side + large hand grip					●	●	●	●	●
Hydraulic steering wheel					●	●	●	●	●
Digital multifunction display with wheel indicator					●	●	●	●	●
Multifunction touchscreen display					◦	◦	◦	◦	◦
Mast tilt indicator					◦	◦	◦	◦	◦
Load weight indicator					●	●	●	●	●
Adjustable tilt steering column with memory function					●	●	●	●	●
Wet disk brakes					●	●	●	●	●
Rear view mirror, left and right side					◦	◦	◦	◦	◦
Flat/Panoramic internal rear view mirror					◦	◦	◦	◦	◦
Seat mounted hydraulic minilevers inc. Fork levelling switch					●	●	●	●	●
Seat mounted Multifunction Lever inc. Fork levelling switch					◦	◦	◦	◦	◦
Multifunction Joystick					◦	◦	◦	◦	◦
Car pedal layout with brake pedal					●	●	●	●	●
D2 pedal					◦	◦	◦	◦	◦
Adjustable telescopic steering column					◦	◦	◦	◦	◦
Full floating driver's compartment					●	●	●	●	●
Battery door opening sensor					●	●	●	●	●
Double accel pedal					◦	◦	◦	◦	◦
ORS seat (Operator Restrain System)					●	●	●	●	●
Fully adjustable fabric ORS seat					◦	◦	◦	◦	◦
Shock sensor					◦	◦	◦	◦	◦
Height selector					◦	◦	◦	◦	◦
Pin code entry system / smart card reader					◦	◦	◦	◦	◦
Automatic Parking Brake					●	●	●	●	●

● standard ◦ option

Body

Heater					◦	◦	◦	◦	◦
Tilt cylinder boots					◦	◦	◦	◦	◦
Steel cabin					◦	◦	◦	◦	◦
Cabin without doors					◦	◦	◦	◦	◦
Canvas cabin					◦	◦	◦	◦	◦
Front windshield with wiper & roof					◦	◦	◦	◦	◦
Body guard					◦	◦	◦	◦	◦
Rear assist grip with horn button					◦	◦	◦	◦	◦

Safety features

Cesab ISD (Intelligent Stability Design)					●	●	●	●	●
Operator Presence Sensing System (OPS)					●	●	●	●	●
Max speed and acceleration reduction with lifted load					◦	◦	◦	◦	◦
Emergency stop button in armrest					●	●	●	●	●

Maintenance & management features

Rugged exterior body and easy access for maintenance					●	●	●	●	●
--	--	--	--	--	---	---	---	---	---

Battery management features

Lateral battery extraction with open bottom chassis					●	●	●	●	●
---	--	--	--	--	---	---	---	---	---

Special applications

Cold storage model (TYPE 30S)					◦	◦	◦	◦	◦
Rustproof model					◦	◦	◦	◦	◦
Fisherman model					◦	◦	◦	◦	◦
Drive in rack overhead guard					◦	◦	◦	◦	◦
High overhead guard					◦	◦	◦	◦	◦
Low overhead guard					◦	◦	◦	◦	◦

Unparalleled performance

The StaminaTune from Cesab enables energy consumption reduction and enhanced performance thanks to the combination of IPM (Interior Permanent Magnet) synchronous motor for traction and our advanced controllers. Additionally, the optional high-performance motor for lifting allows for extra productivity and extra energy efficiency.

Driver comfort

Operator comfort is key to maximising productivity. The Cesab B4 features a fully floating driver compartment that reduces vibrations. Operators can enjoy a comfortable driving position with extra leg and foot space, a slim steering wheel, and an optional intuitive touchscreen that provides important information at a glance. Additionally, the design offers open visibility through the roof and mast.

Energy efficiency

Cesab B4 electric trucks offer various energy packs (Lead-acid, Lithium-ion, and Fuel cell) to suit different application needs. Cesab's lithium-ion batteries provide exceptional battery life and fast opportunity charging, eliminating the need for battery changes in multi-shift operations. The high-performance version is the most energy-efficient, reducing energy consumption by up to 18% (versus previous model).

ISD - Intelligent Stability Design

All B4 electric trucks are standard equipped with Cesab's unique Intelligent Stability Design (ISD). It ensures excellent forklift stability by protecting the operator and load when driving, turning and lifting. ISD provides advanced technology increasing safety and improving productivity.

IMD - Intelligent Mast Design

All B4 electric trucks are available with Cesab's unique Intelligent Mast Design technology, which provides an industry leading level of visibility through the use of two off-set free lift cylinders. Further all piping, hoses and cables are integrated within the uprights.



CESAB

B3 - B4 Li-ION

The innovative B3 B4 Li-Ion with integrated lithium-ion battery are available in both 3 (1.6t and 2t) and 4-wheels (2t), delivering outstanding energy efficiency for both indoor and outdoor operations. The overall design and enhanced driver compartment offer class-leading comfort and ergonomics as well as high levels of productivity. The Cesab in-house lithium-ion technology enables low energy consumption, minimising downtime for seamless and cost-effective operations.

SPECIFICATIONS

Load capacity: 1.6, 2.0 t @ 500 mm load centre

Maximum lift height: 7.5 m

Maximum travel speed: 20 km/h

In-house lithium-ion batteries available: 300 and 420Ah

Options available: **imd**  

isd
intelligent stability design





Drivers of differing sizes can be comfortably seated thanks to the extra foot and leg space, slim steering column, and adjustable seating position.



Li-ion connector is easily accessible at the back of the truck, integrated in the counterweight which allows for quick opportunity charging, maximising up-time.



StaminaTune from Cesab with the IPM (Interior Permanent magnet) motor combined with our advanced controllers, delivers enhanced performance, while minimising energy consumption.



Maintenance is hassle-free with easy access to key components, ensuring reduced service cost and minimal downtime.

● standard ° option

Load handling

Wide Visible Mast (V)				●	●	●
Full-free (twin cylinder) 2-stage mast (FW) - IMD				°	°	°
Full-free (twin cylinder) 3-stage mast (FSW) - IMD				°	°	°
Full-free (central cylinder) 2-stage mast (FV)				°	°	°
Full-free (central cylinder) 3-stage mast (FSV)				°	°	°
Fully oil-charged lift cylinder				°	°	°
Shockless landing lift		●		●	●	●
Hydraulic cushioned forks				°	°	°
Hydraulic accumulator (full charge)				°	°	°
Integrated sideshift				°	°	°
Fork positioner				°	°	°
Quick couplings				°	°	°

Lights and indicators

LED front combination lights		●		°	°	°
LED rear combination lights		●		°	°	°
LED headlights				°	°	°
LED rear/double working light				°	°	°
Blue LED rear warning light				°	°	°
Yellow beacon (Flashing, Rotary)				°	°	°
Back-up buzzer				°	°	°
Horn in armrest				●	●	●

Body

Low and large step on left side + large hand grip		●	●	°	°	°
Electric Power steering inc. Steering synchronizer		●	●	°	°	°
Hydraulic steering wheel				°	°	°
Digital multifunction display with wheel indicator		●	●	°	°	°
Multifunction touchscreen display		°	°	°	°	°
Mast tilt indicator				°	°	°
Load weight indicator				●	●	●
Adjustable tilt steering column			●	●	●	●
Wet disk brakes		●		●	●	●
Rear view mirror, left and right side		°	°	°	°	°
Flat/Panoramic internal rear view mirror			●	°	°	°
Seat mounted hydraulic minilevers inc. Fork levelling switch			●	●	●	●
Seat mounted Multifunction Lever inc. Fork levelling switch			°	°	°	°
Multifunction Joystick			°	°	°	°
Car pedal layout with brake pedal			●	●	●	●
D2 pedal				°	°	°
Adjustable telescopic steering column				●	●	●
Full floating driver's compartment			●	●	●	●
Double accel pedal		°		°	°	°
ORS seat (Operator Restrain System)			●	●	●	●
Fully adjustable fabric ORS seat		°		°	°	°
Shock sensor		°		°	°	°
Height selector				°	°	°
Pin code entry system		°	●	°	°	°
Automatic Parking Brake			●	●	●	●
Heater		●		°	°	°

● standard ° option

Body

Tilt cylinder boots		●		°	°	°
Steel cabin				°	°	°
Cabin without doors				°	°	°
Canvas cabin				°	°	°
Front windshield with wiper & roof				°	°	°
Body guard				°	°	°
Rear assist grip with horn button				°	°	°

Safety features

Cesab ISD (Intelligent Stability Design)		●	●	°	°	°
Operator Presence Sensing System (OPS)				●	●	●
Max speed and acceleration reduction with lifted load				°	°	°
Emergency stop button in armrest				●	●	●

Maintenance & management features

Rugged exterior body and easy access for maintenance		●		°	°	°
--	--	---	--	---	---	---

Battery management features

Easy access for charging plug on the counterweight		●	●	°	°	°
--	--	---	---	---	---	---

Special applications

Cold storage model (TYPE 30S)		●	●	°	°	°
Rustproof model		●	●	°	°	°
Fisherman model		●	●	°	°	°
Drive in rack overhead guard			●	°	°	°
High overhead guard			°	°	°	°
Low overhead guard			°	°	°	°

Designed around Li-Ion

Cesab engineers did a tremendous work to integrate the li-ion battery, and other features in the design of the truck to make operators's daily task, even more ergonomic. This unique design creates more leg & feet space.

Unparalleled performance

The StaminaTune from Cesab enables energy consumption reduction and enhanced performance thanks to the combination of IPM (Interior Permanent Magnet) synchronous motor for traction and our advanced controllers. Additionally, the optional high-performance motor for lifting allows for extra productivity and extra energy efficiency.

Lithium-ion Energy

Our B3 B4 Li-Ion models, with an in-house integrated lithium-ion batteries offering very short charging time, suitable for high energy demanding applications or 2 shifts operations without battery charging. The li-ion connector is easily accessible at the back of the truck, integrated in the counterweight for quick and easy opportunity charging.

ISD - Intelligent Stability Design

All B3 B4 Li-Ion electric trucks are standard equipped with Cesab' s unique Intelligent Stability Design (ISD). It ensures excellent forklift stability by protecting the operator and load when driving, turning and lifting. ISD provides advanced technology increasing safety and improving productivity.

IMD - Intelligent Mast Design

All B3 B4 i-Ion electric trucks are available with Cesab's unique Intelligent Mast Design technology, which provides an industry leading level of visibility through the use of two off-set free lift cylinders. Further all piping, hoses and cables are integrated within the uprights.



CESAB B600II

The Cesab B600 is built for strength and durability. Designed to withstand the toughest environments, both indoors and outdoors. It delivers outstanding performance with zero emissions. Material handling operations will become safer, quieter, more comfortable and cost-effective thanks to B600. This range includes compact trucks that are ideal for manoeuvring in tight areas but there are also longer wheelbase models available that are ideal for handling larger loads. Lift capacities range from 2.0 up to 3.5 tonnes.

SPECIFICATIONS

Load capacity: 2.0, 2.5, 3.0, 3.5 t @ 500 mm load centre
2.5 & 3t @ 600 mm load centre

Maximum lift height: 6.5 m

Maximum travel speed: 20 km/h

Maximum battery capacity: 775 Ah

Options available: **imd**  





Ergonomically designed operator compartment featuring new armrest and palm support for optimal driver comfort.



Fully floating driver compartment insulates the driver from vibration and noise for enhanced comfort and productivity.



Large colour touchscreen display providing vital information and contributing to driver's productivity.



Cesab's latest intelligent energy packs, based on a range of lithium-ion batteries and chargers allow cost and energy savings.

● standard ° option

Load handling

Wide visible mast (V)				●	●	●	●	●	●	●
Full-free (twin cylinder) 2-stage mast (FW) - IMD				°	°	°	°	°	°	°
Full-free (twin cylinder) 3-stage mast (FSW) - IMD				°	°	°	°	°	°	°
Full-free (central cylinder) 2-stage mast (FV)				°	°	°	°	°	°	°
Full-free (central cylinder) 3-stage mast (FSV)				°	°	°	°	°	°	°
Fully oil-charged lift cylinder				°	°	°	°	°	°	°
Shockless landing lift		●	●	●	●	●	●	●	●	●
Tilt cylinder boots		°	°	°	°	°	°	°	°	°
Hydraulic cushioned forks incl. shockless landing lift		°	°	°	°	°	°	°	°	°
Hydraulic accumulator (full charge) incl. shockless landing lift	●	°	°	°	°	°	°	°	°	°
Integrated sideshift		°	°	°	°	°	°	°	°	°
Hook-on sideshift		°	°	°	°	°	°	°	°	°
Fork positioner		°	°	°	°	°	°	°	°	°
Quick couplings		°	°	°	°	°	°	°	°	°
High Performance Lift &Traction		°	°	°	°	°	°	°	°	°
High Performance Lift		°	°	●	°	°	°	°	°	°
Low noise Hydraulic system		°	°	°	°	°	°	°	°	°

Lights and indicators

LED front combination lights (including headlights)	●		°	°	°	°	°	°	°	°
LED rear combination lights	°		°	°	°	°	°	°	°	°
LED headlights (incl. guard)	°		°	°	°	°	°	°	°	°
LED rear working light	°		°	°	°	°	°	°	°	°
LED double rear working light	°		°	°	°	°	°	°	°	°
Thin LED lights on mast	°		°	°	°	°	°	°	°	°
Additional LED headlights	°		°	°	°	°	°	°	°	°
Yellow beacon lamp	°		°	°	°	°	°	°	°	°
Back-up buzzer	°		°	°	°	°	°	°	°	°
Blue LED front warning light	°		°	°	°	°	°	°	°	°
Blue LED rear warning light	°		°	°	°	°	°	°	°	°
Horn in steering wheel	°		°	°	°	°	°	°	°	°
Horn in armrest	°		°	°	°	°	°	°	°	°

Body

Low and large metal step on left-hand side + large hand grip	●	●	●	●	●	●	●	●	●	●
Full hydraulic power steering	°	°	°	°	°	°	°	°	°	°
Multifunction Display	°	°	°	°	°	°	°	°	°	°
Multifunction touchscreen display	°	°	°	°	°	°	°	°	°	°
Mast tilt indicator	°	°	°	°	°	°	°	°	°	°
Load weight indicator	°	°	°	°	°	°	°	°	°	°
Adjustable tilt steering column with memory function	°	°	°	°	°	°	°	°	°	°
Wet disc brakes	°	°	°	°	°	°	°	°	°	°
Rear view mirror, right and left sides	°	°	°	°	°	°	°	°	°	°
Flat internal rear view mirror	°	°	°	°	°	°	°	°	°	°
Panoramic rear view mirror	°	°	°	°	°	°	°	°	°	°
Seat mounted hydraulic minilevers	°	°	°	°	°	°	°	°	°	°
Multifunction levers	°	°	°	°	°	°	°	°	°	°
Multifunction joystick	°	°	°	°	°	°	°	°	°	°
Car pedal layout	°	°	°	°	°	°	°	°	°	°
D2 pedal (2 pedals)	°	°	°	°	°	°	°	°	°	°

Safety	Robustness	Performance	Operability
●	●	●	●
°	°	°	°

● standard ° option

Body

Double accel pedal	°	°	°	°	°	°	°	°	°
ORS seat (Operator Restraint System)	°	°	°	°	°	°	°	°	°
Fully adjustable fabric ORS seat	°	°	°	°	°	°	°	°	°
Swivel seat	°	°	°	°	°	°	°	°	°
Height selector	°	°	°	°	°	°	°	°	°
Pin code entry system	°	°	°	°	°	°	°	°	°
Automatic parking brake	°	°	°	°	°	°	°	°	°
Heater	°	°	°	°	°	°	°	°	°
Full floating driver compartment	°	°	°	°	°	°	°	°	°
Steel cabin	°	°	°	°	°	°	°	°	°
Cabin without doors	°	°	°	°	°	°	°	°	°
Canvas cabin	°	°	°	°	°	°	°	°	°
Front windshield with wiper & roof	°	°	°	°	°	°	°	°	°
Rear assist grip with horn button	°	°	°	°	°	°	°	°	°
Document box	°	°	°	°	°	°	°	°	°

Safety features

Cesab ISD (Intelligent Stability Design)	●	●	●	●	●	●	●	●	●	●
OPS (Operator Presence System)	°	°	°	°	°	°	°	°	°	°
Maximum drive speed and acceleration reduction with lifted load	°	°	°	°	°	°	°	°	°	°
Emergency stop button in armrest	°	°	°	°	°	°	°	°	°	°
Rear view camera	°	°	°	°	°	°	°	°	°	°

Maintenance

& management features

Rugged exterior body and easy access for maintenance	°	°	°	°	°	°	°	°	°	°
--	---	---	---	---	---	---	---	---	---	---

Battery management features

Open chassis for easy battery exchange	°	°	°	°	°	°	°	°	°	°
Battery stand/dock	°	°	°	°	°	°	°	°	°	°

Special applications

Rustproof version	°	°	°	°	°	°	°	°	°	°
Fisherman specifications	°	°	°	°	°	°	°	°	°	°
Cold storage (Type 30S: -30°C)	°	°	°	°	°	°	°	°	°	°
Drive unit protector	°	°	°	°	°	°	°	°	°	°
High overhead guard	°	°	°	°	°	°	°	°	°	°

Safety	Durability	Productivity	Driveability
●	●	●	●
°	°	°	°

Delivering performance

The Cesab B600II is built for strength and durability. Designed to withstand the toughest environments, both indoors and outdoors. It delivers outstanding performance with zero emissions. The range includes compact chassis models for easy maneuvering as well as longer wheelbase models to handle larger loads.

Unique driver experience

The driver compartment has been ergonomically designed around the operator. The armrest includes an optional touchscreen display with vital information as well as ergonomics controls with a choice of levers to suit every operator. All of this contributes to drivers' comfort and productivity.

Intelligent energy packs

Cesab B600II electric trucks are available with two different intelligent energy packs to fit every customer's application requirements. Both are based on Cesab's own energy-efficient lithium-ion battery solutions, allowing your operation to cut costs and reduce CO2 emissions.

ISD - Intelligent Stability Design

All B600II electric trucks are standard equipped with Cesab's unique Intelligent Stability Design (ISD). It ensures excellent forklift stability by protecting the operator and load when driving, turning and lifting. ISD provides advanced technology increasing safety and improving productivity.

IMD - Intelligent Mast Design

All B600II electric trucks are available with Cesab's unique Intelligent Mast Design technology, which provides an industry leading level of visibility through the use of two off-set free lift cylinders. Further all piping, hoses and cables are integrated within the uprights.



CESAB

B605

The combination of exceptional levels of performance with extremely low energy consumption means the Cesab B605 can work efficiently in the most intensive, demanding applications – indoor operations such as pallet racking or outdoors in a yard or a loading bay, with lift capacities from 4.0 up to 5.0 tonnes.

SPECIFICATIONS

Load capacity: 4.0, 4.5t @ 500 mm load centre

5.0t @ 600 mm load centre

Maximum lift height: 6.5 m

Maximum travel speed: 20 km/h

Maximum battery capacity: 775 Ah

Options available: **imd**  





Minilevers in the armrest are intuitive and easy to use.



Lift height presetting saves time and effort for the driver.



Powerful and efficient LED working lights allow work to continue in unlit areas or at night.



Cabin options provide weather protection, increased comfort and enhanced safety.

● standard ° option

Load handling

Wide Visible Mast (V)				●	●	●
Full-free (twin cylinder) 2-stage mast (FW) - IMD				°	°	°
Full-free (twin cylinder) 3-stage mast (FSW) - IMD				°	°	°
Full-free (central cylinder) 2-stage mast (FV)				°	°	°
Full-free (central cylinder) 3-stage mast (FSV)				°	°	°
Fully oil-charged lift cylinder				°	°	°
Shockless landing lift				°	°	°
Integrated sideshift				°	°	°
Fork positioner				°	°	°
Quick couplings				°	°	°

Lights and indicators

Front combination lights (LED)				°	°	°
Rear combination lights (LED)				°	°	°
Headlights (STD/LED)				°	°	°
Rear/double working light (STD/LED)				°	°	°
Blue LED rear warning light				°	°	°
Yellow beacon (Flashing, Rotary)				°	°	°
Back-up buzzer				°	°	°
Horn in steering wheel				●	●	●

Body

Low and large step on both sides + large hand grip				●	●	●
Electric Power steering inc. Steering synchroniser				●	●	●
Digital multifunction display with wheel indicator				●	●	●
Adjustable tilt steering column with memory function				●	●	●
Wet disk brakes				●	●	●
Rear view mirror, left and right side				°	°	°
Flat/Panoramic internal rear view mirror				°	°	°
Seat mounted hydraulic minilevers inc. Fork levelling switch				●	●	●
Multifunction Joystick				°	°	°
Car pedal layout with wide brake pedal				●	●	●
D2 pedal				°	°	°
Double accel pedal				°	°	°

Safety	Robustness	Performance	Operability	B640	B645	B650

● standard ° option

Body

ORS seat (Operator Restrain System)				●	●	●
Fully adjustable fabric ORS seat				°	°	°
Swivel seat				°	°	°
Automatic Parking Brake				●	●	●
Heater				°	°	°
Tilt cylinder boots				°	°	°
Steel cabin				°	°	°
Cabin without doors				°	°	°
Canvas cabin				°	°	°
Front windshield with wiper & roof				°	°	°

Safety features

Automatic traction speed reduction on curve				●	●	●
Operator Presence Sensing System (OPS)				●	●	●
Automatic traction speed reduction with lifted forks				●	●	●

Maintenance & management features

Rugged exterior body and easy access for maintenance				●	●	●
--	--	--	--	---	---	---

Battery management features

Battery lift-out				°	°	°
Battery low lift-out				°	°	°
Battery roll-out				°	°	°
Battery side-out for fork pockets				°	°	°

Special applications

Cold storage model (TYPE 30S)				°	°	°
IP54 drive motor				°	°	°
IP54 lift motor				°	°	°

Safety	Durability	Productivity	Driveability	B640	B645	B650

Easy driver interface

The multifunction display, which is easy to see and reach, gives key information at a glance. It also allows for parameter setting to suit driver or application needs, as well as providing fault diagnosis. The driver has the benefit of a fully adjustable Operator Restrain System (ORS) with side-wings and lumbar support, along with an adjustable steering column. The steering column itself is very slim, for maximum legroom.

Exceptional energy efficiency

The B605 sets the industry benchmark for energy efficiency which, combined with a choice of high-capacity batteries, means that long working shifts can be delivered without the need for battery change.

Wet disc brakes

The B605's braking system is regenerative, and the wet disc brakes are oil-immersed and virtually maintenance-free.

IMD - Intelligent Mast Design

All B605 electric trucks are available with Cesab's unique Intelligent Mast Design technology, which provides an industry leading level of visibility through the use of two off-set free lift cylinders. Further all piping, hoses and cables are integrated within the uprights.



CESAB B800II

Cesab B800II is the class-leading high-performance and high-capacity truck for heavy-duty work, offering a quiet, efficient and powerful electric alternative to IC trucks. Its tough design is suited for multi-load handling and large attachments. Typical applications include manufacturing, construction materials, and the paper and beverage industries.

SPECIFICATIONS

Load capacity: 6.0, 7.0, 8.0 t @ 600 mm load centre - 8.0 t @ 900 mm load centre

Maximum lift height: 7 m

Maximum travel speed: 20 km/h

Maximum battery capacity: 1240 Ah

Options available:  






The spacious full floating driver compartment with minimal vibration and low noise offers the driver a comfortable work space.



Easy access to main service components.



Large entry window with wide steps and double driver assist grips ensure fatigue is minimised in applications that require repeatedly getting in and out.



Open chassis design with side panel facilitates lateral battery exchange.

● standard ◦ option

Load handling

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Wide Visible mast (V)	●				●	●	●	●
Full-Free Lift Two-Stage Mast (FV)				●	◦	◦	◦	◦
Full-Free Lift Three-Stage Mast (FSV)				●	◦	◦	◦	◦
Shockless landing lift		●	●		●	●	●	●
Fully oil charged lift cylinder		●			◦	◦	◦	◦
Hydraulic accumulator (full charge)			●		◦	◦	◦	◦
Hooked-on sideshift				●	◦	◦	◦	◦
Integrated sideshift				◦	◦	◦	◦	◦
Fork positioner				◦	◦	◦	◦	◦
Quick couplings			●		◦	◦	◦	◦

Lights and indicators

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Front combination lights (LED)	●			●	◦	◦	◦	◦
Rear combination lights (LED)	●			●	◦	◦	◦	◦
Headlights (LED)				●	◦	◦	◦	◦
Rear (double) working light (LED)				●	◦	◦	◦	◦
Yellow beacon (Flashing, Rotary)					◦	◦	◦	◦
Blue LED rear warning light					◦	◦	◦	◦
Back-up buzzer					◦	◦	◦	◦
Horn in steering wheel				●	●	●	●	●
Horn in armrest	●			●	◦	◦	◦	◦

Body

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Large steps on left side - large double hand grips	●	●	●	●	●	●	●	●
Electric power steering incl. Steering synchroniser			●	●	●	●	●	●
Wet disk brakes		●	●	●	●	●	●	●
Automatic parking brake		●	●	●	●	●	●	●
Digital multifunction display with wheel indicator		●	●	●	●	●	●	●
Digital multifunction display Deluxe			●	●	◦	◦	◦	◦
Mast tilt indicator				◦	◦	◦	◦	◦
Load weight indicator				◦	◦	◦	◦	◦
Rear view mirrors, left and right side				◦	◦	◦	◦	◦
Flat / Panoramic internal rear view mirror				◦	◦	◦	◦	◦
Steel cabin				●	◦	◦	◦	◦
Cabin without doors				◦	◦	◦	◦	◦
Front windshield with wiper & glass roof				◦	◦	◦	◦	◦
Body guard				◦	◦	◦	◦	◦
Heater				◦	◦	◦	◦	◦
Seat mounted hydraulic minilevers inc. Fork levelling switch	●	●	●	●	●	●	●	●
Seat mounted Multifunction Lever inc. Fork levelling switch	●	●	●	●	◦	◦	◦	◦

● standard ◦ option

Body

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Seat mounted Multifunction Joystick			●	◦	◦	◦	◦	◦
Left hand shift lever			●	◦	◦	◦	◦	◦
Car pedal layout with wide brake pedal			●	●	●	●	●	●
D2 pedal			●	◦	◦	◦	◦	◦
Double accel pedal			●	◦	◦	◦	◦	◦
ORS (Operator Restrain System)	●	●	●	●	●	●	●	●
Fully adjustable fabric ORS seat		●	●	◦	◦	◦	◦	◦
Swivel seat			●	◦	◦	◦	◦	◦
Height selector			●	◦	◦	◦	◦	◦
Pin code entry system	●	●	●	◦	◦	◦	◦	◦
Rear assist grip with horn button		●	●	◦	◦	◦	◦	◦
Tilt cylinder boots		●	●	◦	◦	◦	◦	◦
Front / Rear mudguards		●	●	◦	◦	◦	◦	◦
Hydraulic oil cooler		●	●	◦	◦	◦	◦	◦
Drive motors IP54		●	●	◦	◦	◦	◦	◦

Safety Features

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Cesab ISD (Intelligent Stability Design)	●	●	●	●	●	●	●	●
Operator Presence Sensing System (OPS)	●	●	●	●	●	●	●	●
Emergency stop button on dashboard			●	●	●	●	●	●
Maximum drive speed and acceleration reduction with lifted load	●	●	●	◦	◦	◦	◦	◦

Maintenance

& management features

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Rugged exterior body and easy access for maintenance		●	●	●	●	●	●	●

Battery management features

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Open chassis design for lateral battery exchange		●	●	●	●	●	●	●
Battery stand for battery exchange	●	●	●	◦	◦	◦	◦	◦
Powered pallet truck for battery exchange	●	●	●	◦	◦	◦	◦	◦

Special applications

	Safety	Robustness	Performance	Operability	B860II	B870II	B880II	B880HII
Cold storage (Type 30S)		●	●	◦	◦	◦	◦	◦
Rustproof version		●	●	◦	◦	◦	◦	◦
Fisherman specifications		●	●	◦	◦	◦	◦	◦

ISD - Intelligent Stability Design

The unique Intelligent Stability Design (ISD) is the world's first active system for controlling forklift stability. By protecting the operator and load when driving, turning and lifting, ISD provides advanced technology increasing safety in the workplace and improving productivity. It includes: ISD Active Mast Tilt Angle Control, ISD Active Mast Tilt Speed Control, ISD Fork Levelling, ISD Active Steering Synchroniser, ISD Speed reduction when cornering.

Big on performance & manoeuvrability

The powerful motors provide the truck strong gradeability and high travel speed, making it highly suitable for demanding applications. With the sharp rear steering angle the truck can manoeuvre smoothly in tight areas for example in production or storage areas.

Strong on efficiency

The range comes with electric power steering for lower energy consumption and offers a choice in battery technology to suit all needs. For a smooth battery exchange, the truck is designed around an open chassis to easily place and retrieve the battery.

Cesab

Material Handling in Europe

Total coverage

The Cesab Material Handling network extends to over 20 countries in Europe with a big service network.

Always local – with global support

Wherever you are located in Europe, we are always close by, thanks to our extensive local coverage, but with the stability and backup of a worldwide organisation.

Made in Europe

Over 95% of the trucks we sell, are built in our own European factories – all to TPS quality standards – and over 90% of the trucks sold are electrified. Available across Europe, our products are manufactured in France, Italy, and at one of the EU's first 'carbon-free' factories in Sweden. We employ over 3000 production staff throughout Europe and work with over 300 European suppliers.

